



IL10B/ML10DB



.10B/ML10DB series is a smart lock chnology. It supports blue-tooth nnection,door unlocking and user anagement by mobile phone.

Features

- Support blue-tooth connection, door unlocking and user management by ZKBioBT App
- With the new generation fingerprint recognition algorithm Low battery warning
- Rugged, sleek and compact design
- Independent clutch motor design under patent protection Easy to program and easy to use
- Idle handle design to prevent from forcible entry
- Registration data are stored even if there is power loss
- Handle, latch and strike is reversible design for all. door open direction
- · Capacitive sensing technology Touch to open
- Emergency key override (concealed)
- · LED indicator and inbuilt buzzer

- External terminals to draw back-up power from a 9V battery
- Normal Open mode
- Easy to install-no wiring required
- 3 user groups Admin, Normal User and Temporary User
- · American standard single latch for easy installation and replacement - ML10B
- German standard mortise with one latch and one deadbolt-turn handle upward to lock the deadbolt for more security- ML10DB

Specification

Material

Zinc Alloy

User Capacity

Admin - 10

Normal User - 60

Temporary User - 20

Backset

60mm or 70mm(adjustable) -ML10

62 mm -ML10DB

Operating Temperature

-20°C - 55°C

Power Supply

4 x AA Alkaline Battery

Battery Life

Over 6000 times (approx1 year)

Backup Unlocking Way

Mechanical Key & 9V Battery

Door Thickness

30-38 mm(optional)

39-46 mm(standard)

47-54 mm(standard)

55-60 mm(optional)

Dimensions

Front - 69(W) \times 155(L) \times 35(D)mm

Back - 69(W) \times 155(L) \times 25(D)mm







